

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/19/2014

Reviewed on 02/18/2014

1 Identification

- **Product identifier**
- **Trade name:** ASA
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Various
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Stratasys, Inc. Tel +1 952 937 3000
7665 Commerce Way Fax +1 952 937 0070
Eden Prairie, MN 55344
USA

For information in Europe contact:

C.S.B. GmbH
Düsseldorfer Straße 113
D-47809 Krefeld
Germany

Tel.: +49-2151-6520860
Fax: +49-2151-6520869
E-Mail: info@csb-online.de

- **Information department:** Sales / Technics
- **Emergency telephone number:** see above

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified according to the Globally Harmonized System (GHS).
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Void
- **Information concerning particular hazards for human and environment:** not applicable
- **Classification system:**
The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system**
- **NFPA ratings (scale 0-4)**



Health = 0
Fire = 1
Reactivity = 0

- **HMIS**



HEALTH 0 Health = 0
FIRE 1 Fire = 1
REACTIVITY 0 Reactivity = 0

- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

USA

(Contd. on page 2)

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/19/2014

Reviewed on 02/18/2014

Trade name: ASA

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description: Acrylonitrile-Styrene-Acrylate Copolymer**
- **Dangerous components: Void**

- **Other components:**

26299-47-8	Butyl acrylate, acrylonitrile, styrene polymer	> 98%
------------	--	-------

4 First-aid measures

- **Description of first aid measures**
- **General information** Remove contaminated clothing.
- **After inhalation**
Supply fresh air; consult doctor in case of complaints.
After inhalation of decomposition products, remove the affected person to a source of fresh air and keep calm. Provide medical aid.
- **After skin contact**
Wash with soap and water.
After contact with the molten product, cool rapidly with cold water.
If skin irritation continues, consult a doctor.
Do not pull solidified product away from the skin.
Call a doctor immediately.
- **After eye contact**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Remove contact lenses, if present and easy to do.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed** symptomatic treatment

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with full jet.
- **Special hazards arising from the substance or mixture**
Risk of dust explosion.
In case of fire, the following can be released:
Nitrogen oxides (NO_x)
Carbon monoxide and carbon dioxide
In certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:
Styrene
Acrylmonomers, Acrylcompounds
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Cool endangered receptacles with water spray.
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

USA

(Contd. on page 3)

Safety Data Sheet
acc. to OSHA HCS

Printing date 02/19/2014

Reviewed on 02/18/2014

Trade name: ASA

(Contd. of page 2)

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
 - Ensure adequate ventilation
 - Avoid formation of dust.
 - Keep away from ignition sources
 - Do not breathe dust.
 - Avoid contact with skin and eyes.
 - Danger of slipping on leaked/spilled product.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
 - Ensure adequate ventilation.
 - Pick up mechanically.
 - Send for recovery or disposal in suitable receptacles.
 - Dispose of the collected material according to regulations.
- **Reference to other sections**
 - See Section 7 for information on safe handling
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
 - Ensure good ventilation/exhaustion at the workplace.
 - Prevent formation of dust.
 - Any deposit of dust which cannot be avoided must be regularly removed.
 - Do not breathe dust.
 - Make sure that all applicable workplace limits are observed.
- **Information about protection against explosions and fires:**
 - Dust can combine with air to form an explosive mixture.
 - Keep ignition sources away - Do not smoke.
 - Protect against electrostatic charges.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
 - Observe all local and national regulations for storage of water polluting products.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
 - Store in cool, dry conditions in well sealed receptacles.
 - Storage temperature ≤ 60 °C
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
 - Observe all workplace limits for dust:
 - TLV inhalable dust: 15 mg/m³ OSHA
 - TLV respirable dust: 5 mg/m³ OSHA
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
 - Keep away from foodstuffs, beverages and feed.

(Contd. on page 4)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/19/2014

Reviewed on 02/18/2014

Trade name: ASA

(Contd. of page 3)

Do not eat, drink, smoke or sniff while working.

Do not breathe dust.

Avoid close or long term contact with the skin.

Avoid contact with the eyes.

Wash hands before breaks and at the end of work.

· **Breathing equipment:**

Use breathing protection in case of dust formation.

If all workplace limits are observed and good ventilation is ensured, no special precautions necessary.

· **Protection of hands:**

Protective gloves

Use heat resistant gloves when handling hot/molten product.

To avoid skin problems reduce the wearing of gloves to the required minimum.

Sensibilization by the components in the glove materials is possible.

Check the permeability prior to each renewed use of the glove.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

Protective gloves should be replaced at first signs of wear.

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye protection:** Safety glasses

· **Body protection:**

Wear heat-resistant protective clothing when handling hot/molten product.

Body protection must be chosen depending on activity and possible exposure.

· **Limitation and supervision of exposure into the environment**

Do not allow to enter sewers/ surface or ground water.

9 Physical and chemical properties

· **Information on basic physical and chemical properties**

· **General Information**

· **Appearance:**

Form: solid

Color: Opaque

· **Odor:** odorless

· **Odor threshold:** Not determined.

· **pH-value:** Not applicable.

· **Change in condition**

Melting point/Melting range: undetermined

Boiling point/Boiling range: undetermined

Fusion temperature / range: 93 - 110 °C (199 - 230 °F)

· **Flash point:** 366 °C (691 °F) (ASTM D-1929B)

· **Flammability (solid, gaseous)** Not determined.

· **Ignition temperature:** 518 °C (964 °F) (ASTM D-1929B)

(Contd. on page 5)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/19/2014

Reviewed on 02/18/2014

Trade name: ASA

(Contd. of page 4)

· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product does not present an explosion hazard. Formation of ignitable/explosive dust/air mixtures possible.
· Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
· Oxidizing properties	Not applicable
· Vapor pressure:	Not applicable.
· Density at 20 °C (68 °F):	1.06 - 1.08 g/cm ³ (8.846 - 9.013 lbs/gal)
· Relative density at 20 °C (68 °F)	1.06 - 1.08 (H ₂ O = 1)
· Vapour density (AIR = 1)	Not applicable.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with Water:	Insoluble
· Partition coefficient (n-octanol/water):	Not determined.
· Viscosity:	
dynamic:	Not applicable.
kinematic:	Not applicable.
· Other information	No further relevant information available.

10 Stability and reactivity

- **Reactivity** see 10.3
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
Avoid impact, friction, heat, sparks, electrostatic charges.
- **Possibility of hazardous reactions** Risk of dust explosion
- **Conditions to avoid** Temperature over 425 °C
- **Incompatible materials:** Strong oxidizing agents
- **Hazardous decomposition products:**
Nitrogen oxides (NO_x)
Carbon monoxide and carbon dioxide

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** no data available
- **Primary irritant effect:**
- **on the skin:** Dust particles may mechanically irritate the skin.
- **on the eye:** Dust particles may mechanically irritate the eye.
- **Subacute to chronic toxicity:** no data available
- **Additional toxicological information:**
The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.
When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

(Contd. on page 6)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/19/2014

Reviewed on 02/18/2014

Trade name: ASA

(Contd. of page 5)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

9003-54-7	Styrene/acrylonitrile copolymer (SAN)	3
100-42-5	Styrene	2B
107-13-1	Acrylonitrile	2B
75-09-2	Dichloromethane	2B

· **NTP (National Toxicology Program)**

107-13-1	Acrylonitrile	R
75-09-2	Dichloromethane	R

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (Self-assessment) (German regulation): slightly hazardous for water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Disposal must be made according to local/official regulations.
- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to local/official regulations.

14 Transport information

· UN-Number	Void
· DOT, ADR, IMDG, IATA	Void
· UN proper shipping name	Void
· DOT, ADR, IMDG, IATA	Void
· Transport hazard class(es)	Void
· DOT, ADR, IMDG, IATA	Void
· Class	Void
· Packing group	Void
· DOT, ADR, IMDG, IATA	Void
· Environmental hazards:	No
· Marine pollutant:	No
· Special precautions for user	Not applicable.

(Contd. on page 7)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 02/19/2014

Reviewed on 02/18/2014

Trade name: ASA

(Contd. of page 6)

- | | |
|--|--|
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |
| · UN "Model Regulation": | - |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **SARA Section 355 (extremely hazardous substances)**

107-13-1	Acrylonitrile
----------	---------------

- **SARA Section 313 (specific toxic chemical listings)**

100-42-5	Styrene
----------	---------

107-13-1	Acrylonitrile
----------	---------------

75-09-2	Dichloromethane
---------	-----------------

- **TSCA (Toxic Substances Control Act)**

All ingredients are listed.

- **Prop 65 - Chemicals known to cause cancer**

107-13-1	Acrylonitrile
----------	---------------

75-09-2	Dichloromethane
---------	-----------------

- **Prop 65 - Chemicals known to cause developmental toxicity**

None of the ingredients is listed.

- **Carcinogenicity categories**

- **MAK (German Maximum Workplace Concentration)**

100-42-5	Styrene
----------	---------

107-13-1	Acrylonitrile
----------	---------------

75-09-2	Dichloromethane
---------	-----------------

- **National regulations**

- **Disturbance regulations:** Directive 96/82/EC does not apply.

- **Water hazard class:**

Water hazard class 1 (Self-assessment) (German regulation): slightly hazardous for water.

- **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

(Contd. on page 8)

USA

Safety Data Sheet
*acc. to OSHA HCS**Printing date 02/19/2014**Reviewed on 02/18/2014***Trade name: ASA***LD50: Lethal dose, 50 percent*

(Contd. of page 7)

· Sources These data are based on information submitted by pre-suppliers.

—USA—