

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/14/2013

Reviewed on 11/14/2013

1 Identification

- **Product identifier**
- **Trade name:** Nylon 12
- **Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture** Filament for Stratasys® Inc. FDM™ modeler
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Stratasys, Inc. Tel +1 952 937 3000
7665 Commerce Way Fax +1 952 937 0070
Eden Prairie, MN 55344
USA

- For information in Europe contact:

- C.S.B. GmbH Tel.: +49-2151-6520860
Düsseldorfer Straße 113 Fax: +49-2151-6520869
D-47809 Krefeld E-Mail: info@csb-online.de
Germany
- **Information department:** Sales / Technics
- **Emergency telephone number:** see above

2 Hazard(s) identification

- **Classification of the substance or mixture**
The product is not classified according to the Globally Harmonized System (GHS).
- **Classification according to Directive 67/548/EEC or Directive 1999/45/EC** Void
- **Information concerning particular hazards for human and environment:** not applicable
- **Classification system:**
The product does not have to be labelled due to the calculation procedure of the "General Classification guideline for preparations of the EU" in the latest valid version.
- **Label elements**
- **GHS label elements** Void
- **Hazard pictograms** Void
- **Signal word** Void
- **Hazard statements** Void
- **Classification system**
- **NFPA ratings (scale 0-4)**



· **HMIS**



- **Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

USA

(Contd. on page 2)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/14/2013

Reviewed on 11/14/2013

Trade name: Nylon 12

(Contd. of page 1)

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description: Polyamide**
- **Dangerous components: Void**

4 First-aid measures

- **Description of first aid measures**
- **General information** Remove contaminated clothing.
- **After inhalation**
Supply fresh air; consult doctor in case of complaints.
After inhalation of decomposition products, remove the affected person to a source of fresh air and keep calm. Provide medical aid.
- **After skin contact**
Wash with soap and water.
After contact with the molten product, cool rapidly with cold water.
Do not pull solidified product away from the skin.
Call a doctor immediately.
- **After eye contact**
Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.
Remove contact lenses, if present and easy to do.
- **After swallowing**
Rinse out mouth and then drink plenty of water.
Get medical advice/attention if you feel unwell.
- **Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with full jet.
- **Special hazards arising from the substance or mixture**
In case of fire, the following can be released:
Nitrogen oxides (NO_x)
Carbon monoxide and carbon dioxide
In certain fire conditions, traces of other toxic gases cannot be excluded, e.g.:
Hydrogen cyanide (HCN)
- **Advice for firefighters**
- **Protective equipment:** Wear self-contained respiratory protective device.
- **Additional information**
Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Ensure adequate ventilation
Avoid formation of dust.
Do not breathe dust.
Avoid contact with skin and eyes.
Danger of slipping on leaked/spilled product.

(Contd. on page 3)

USA

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/14/2013

Reviewed on 11/14/2013

Trade name: Nylon 12

(Contd. of page 2)

- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
 - Ensure adequate ventilation.
 - Pick up mechanically.
 - Send for recovery or disposal in suitable receptacles.
 - Dispose of the collected material according to regulations.
- **Reference to other sections**
 - See Section 7 for information on safe handling
 - See Section 8 for information on personal protection equipment.
 - See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling**
 - Ensure good ventilation/exhaustion at the workplace.
 - Prevent formation of dust.
 - Any deposit of dust which cannot be avoided must be regularly removed.
 - Do not breathe dust.
 - Avoid prolonged or repeated skin contact.
 - Avoid contact with eyes.
 - Make sure that all applicable workplace limits are observed.
- **Information about protection against explosions and fires:** No special measures required.
- **Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:**
 - Observe all local and national regulations for storage of water polluting products.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:**
 - Store in cool, dry conditions in well sealed receptacles.
 - This product is hygroscopic.
 - Protect from humidity and water.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see item 7.
- **Control parameters**
- **Components with limit values that require monitoring at the workplace:**
 - Observe all workplace limits for dust:
 - TLV inhalable dust: 15 mg/m³ OSHA
 - TLV respirable dust: 5 mg/m³ OSHA
- **Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures**
 - Keep away from foodstuffs, beverages and feed.
 - Do not eat, drink, smoke or sniff while working.
 - Do not breathe dust.
 - Avoid close or long term contact with the skin.
 - Avoid contact with the eyes.
 - Wash hands before breaks and at the end of work.
- **Breathing equipment:**
 - If all workplace limits are observed and good ventilation is ensured, no special precautions necessary.
- **Protection of hands:**
 - Use heat resistant gloves when handling hot/molten product.

(Contd. on page 4)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/14/2013

Reviewed on 11/14/2013

Trade name: Nylon 12

(Contd. of page 3)

- To avoid skin problems reduce the wearing of gloves to the required minimum.
 Sensibilization by the components in the glove materials is possible.
 Check the permeability prior to each renewed use of the glove.
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
 Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.
- **Material of gloves**
 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
 - **Penetration time of glove material**
 Protective gloves should be replaced at first signs of wear.
 The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
 - **Eye protection:** Safety glasses
 - **Body protection:**
 Wear heat-resistant protective clothing when handling hot/molten product.
 Body protection must be chosen depending on activity and possible exposure.
 - **Limitation and supervision of exposure into the environment**
 Do not allow to enter sewers/ surface or ground water.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Filament
Color:	Black
Odor:	odorless
Odor threshold:	Not determined.
- **pH-value:** Not applicable.
- **Change in condition**

Melting point/Melting range:	undetermined
Boiling point/Boiling range:	undetermined
- **Flash point:** > 400 °C (> 752 °F)
- **Flammability (solid, gaseous)** not classified as flammable solid
- **Ignition temperature:**
- **Decomposition temperature:** > 315 °C (> 599 °F)
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**

Lower:	Not determined.
Upper:	Not determined.
- **Oxidizing properties** Not applicable
- **Vapor pressure:** Not applicable.
- **Density at 20 °C (68 °F):** ~ 1.04 g/cm³ (~ 8.679 lbs/gal)
- **Relative density at 20 °C (68 °F)** ~ 1.04 g/cm³ (~ 8.679 lbs/gal) (H₂O = 1)

(Contd. on page 5)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/14/2013

Reviewed on 11/14/2013

Trade name: Nylon 12

(Contd. of page 4)

- | | |
|---|--|
| · Vapour density (AIR = 1) | Not applicable. |
| · Evaporation rate | Not applicable. |
| · Solubility in / Miscibility with Water: | Insoluble |
| · Partition coefficient (n-octanol/water): Not determined. | |
| · Viscosity: | |
| dynamic: | Not applicable. |
| kinematic: | Not applicable. |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity** see 10.3
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
 Protect from moisture.
 Keep away from heat.
 Processing temperature over:
 No decomposition if used and stored according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** Strong oxidizing agents
- **Hazardous decomposition products:**
 Nitrogen oxides (NO_x)
 Carbon monoxide and carbon dioxide
 Hydrogen cyanide (prussic acid)

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:** no data available
- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Subacute to chronic toxicity:** not classified
- **Additional toxicological information:**
 The product is not subject to classification according to the calculation method of the General EU Classification Guidelines for Preparations as issued in the latest version.
 When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

- **Carcinogenic categories**

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)
--

None of the ingredients is listed.

USA

(Contd. on page 6)

Safety Data Sheet
acc. to OSHA HCS

Printing date 11/14/2013

Reviewed on 11/14/2013

Trade name: Nylon 12

(Contd. of page 5)

12 Ecological information

- **Toxicity**
- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:** Water hazard class 1 (Self-assessment) (German regulation): slightly hazardous for water.
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

- **Waste treatment methods**
- **Recommendation** Disposal must be made according to local/official regulations.
- **Uncleaned packagings:**
- **Recommendation:**
Empty contaminated packagings thoroughly. They can be recycled after thorough and proper cleaning.
Packagings that cannot be cleansed are to be disposed of in the same manner as the product.

14 Transport information

<ul style="list-style-type: none"> · UN-Number · DOT, ADR, IMDG, IATA 	Void
<ul style="list-style-type: none"> · UN proper shipping name · DOT, ADR, IMDG, IATA 	Void
<ul style="list-style-type: none"> · Transport hazard class(es) · DOT, ADR, IMDG, IATA · Class 	Void
<ul style="list-style-type: none"> · Packing group · DOT, ADR, IMDG, IATA 	Void
<ul style="list-style-type: none"> · Environmental hazards: · Marine pollutant: 	No
<ul style="list-style-type: none"> · Special precautions for user 	Not applicable.
<ul style="list-style-type: none"> · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code 	Not applicable.
<ul style="list-style-type: none"> · Transport/Additional information: 	Not dangerous according to the above specifications.
<ul style="list-style-type: none"> · UN "Model Regulation": 	-

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**

- **SARA Section 355 (extremely hazardous substances)**
None of the ingredients is listed.

(Contd. on page 7)

USA

Safety Data Sheet

acc. to OSHA HCS

Printing date 11/14/2013

Reviewed on 11/14/2013

Trade name: Nylon 12

(Contd. of page 6)

· TSCA (Toxic Substances Control Act)
None of the ingredients is listed.
· Prop 65 - Chemicals known to cause cancer
None of the ingredients is listed.
· Cancerogenity categories
· MAK (German Maximum Workplace Concentration)
None of the ingredients is listed.
· National regulations
· Disturbance regulations: Directive 96/82/EC does not apply.

· Water hazard class:
Water hazard class 1 (Self-assessment) (German regulation): slightly hazardous for water.
· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
· Sources These data are based on information submitted by pre-suppliers.

USA